

Partial Parts List For Job #: 21028-0000

Date Printed: November 6, 2023

For Sales Order: 32801 Item: I66NLH18SOC8

Part #	Description	QTY	UOM
2017-5-230-1	SHORT (NORMAL) SENSOR BRACKET Bend Location: B--	20.00	EA
2020-2-100-5	36 SOLID-STATE RELAY MOUNTING PLATE Bend Location: B--	20.00	EA
2020-2-100B	CONTROL BOX LOCK CATCH PLATE WELD	20.00	EA
2020-2-80-1L	LH CONTROL TOP CORNER Bend Location: B--	20.00	EA
2020-2-80-1R	RH CONTROL TOP CORNER 18 GA PTLOK	20.00	EA
2020-2-80-2	36 CONTROL TOP REAR PANEL 22 GA PTLOK	40.00	EA
2020-2-80-3	36 MECH SECTION COVER 22 GA PTLOK	20.00	EA
2020-3-100-2	41 CONTROL BOX ENCLOSURE Bend Location: A--	20.00	EA
2020-3-100-4	41 CONTROL BOX DOOR STOP Bend Location: B--	20.00	EA
2020-3-100C	41 CONTROL BOX DOOR WELD ASS'Y	20.00	EA
2021-8-170-1	HEATER BRACKET	80.00	EA
57458	DRIER CLAMP .040 ALUM.	20.00	EA
70-2-300-16	SUCTION ACCUMULATOR MTG. BRACKET Bend Location: B--	40.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	40.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	40.00	EA
95-3-20-1A	LH SIDE WALL, OUTER SHELL Bend Location: A--	40.00	EA
95-3-20-7	RH LINER SUPPORT Bend Location: A--	40.00	EA
95-3-20-7L	LH LINER SUPPORT Bend Location: A--	40.00	EA
95-3-20-8L	REAR CORNER LINER SUPPORT Bend Location: B--	20.00	EA
95-3-20-8R	REAR CORNER LINER SUPPORT Bend Location: B--	20.00	EA
95-3-300-2	CONDENSING UNIT PLATE Bend Location: B--	20.00	EA
95-3-300-5	TOP LH PANEL Bend Location: B--	20.00	EA
95-3-300-6	TOP RH SCREEN Bend Location: B--	20.00	EA
95-3A-30-4	INNER LINER L.H. SIDE Bend Location: B--	40.00	EA
95-3Q-500-1	SKID SHIM 2 X 4 LUMBER 15 1/2" LENGTH	40.00	EA
95-4-50-1	DOOR FACE PANEL Bend Location: A--	20.00	EA
95-4-50-2	DOOR CORE PANEL Bend Location: A--	20.00	EA
95-4-50-2	DOOR CORE PANEL Bend Location: A--	20.00	EA
95-4-50-5	CORNER-DOOR CORE Bend Location: FLAT	80.00	EA
95-4-50-5	CORNER-DOOR CORE Bend Location: FLAT	80.00	EA
95481	SPORLAN SOLENOID VALVE MOUNT 16 GA GALV 1 5/8" X 3 3/8"	40.00	EA
97-3-20-1	OUTER SHELL TOP Bend Location: A--	20.00	EA
97-3-20-2	OUTER SHELL BOTTOM Bend location: A--	20.00	EA
97-3-20-3	OUTER SHELL REAR WALL Bend location: A--	40.00	EA
97-3-20-4	LINER SUPPORT Bend Location: B--	40.00	EA
97-3-20-5	REINFORCEMENT Bend Location: B--	40.00	EA
97-3-20-9	OUTER SHELL REAR WALL Bend location: A--	20.00	EA
97-3-30-2	INNER LINER TOP Bend Location: B-- OFFSETS	20.00	EA
97-3-30-4	INNER LINER CENTER POST Bend Location: A--	20.00	EA
97-3-40-1	DOOR FACE PANEL FOR L.H. SWING Bend Location: A--	20.00	EA
97-3-510	I-66 SERIES SKID	20.00	EA
97-3-700-1	CENTER BREAKER 1/8" X 48" X 96" H.I.P.S. 4600 WHITE, 58 5/8 X 3 5/32" (each)	40.00	EA
97-3-700-2	66 TOP & BOTTOM INSULATION	80.00	EA

Partial Parts List For Job #: 21028-0000

Date Printed: November 6, 2023

For Sales Order: Item: I66NLH18SOC8

Part #	Description	QTY	UOM
97-3-80-1	POLYSTYRENE, 1 9/16" X 14 3/4" X 62 5/8" OUTER SHELL CENTER POST	20.00	EA
97-3A-30-3	Bend Location: B-- INNER LINER BACK	40.00	EA
97-3Q-20	BASE ASSY	20.00	EA
98-1-30-1	INNER LINER BOTTOM	20.00	EA
CMS-027 (MACH.	Bend location: B-- 1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	120.00	EA
CMS-027 (MACH.	1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	120.00	EA
CMS-027 (MACH.	1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	200.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	60.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	80.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	40.00	EA
CMS-074 (MACH.	6-32 X 1" PHILLIPS RD. HD., S.S.	160.00	EA
CPN-003 (CLINCHING ...	1/4"-20 UNC SELF-CLINCHING NUT PEM S-0420-021, Carbon Steel W/ Zinc plus Clear Chromate	160.00	EA
CRI-024 (RIVETS)	1/8" DIAMETER WHITE RIVET McMaster-Carr #97526A125 (250/PK), WHITE RIVET, 1/8" Dia.—For Hole Size: 0.129"-0.133" (Drill Size #30).	840.00	EA
CSG-002 (GROMMET ...	OPEN GROMMET NUT RD. HD. 60SGN00038	680.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	80.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	80.00	EA
CSM-020 (S.M. SCREW)	10-16 X 3/4" HEX WASHER HEAD TEKS S 10-16 X 3/4" HEX WASHER HEAD SHEET METAL SCREW, DRILL POINT, GRADE 2, ZINC-PLATED STEEL	480.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	720.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	720.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	160.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	180.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	420.00	EA
CWS-024 (DRYWALL ...	8 X 2 PARTICAL BOARD SCREW PARTIAL THREAD 8 X 2 PHILIPS HEAD FLAT HEAD WITH NIBS, BLACK PHOS STEEL	1,040.00	EA
EBR-145 (BREAKER)	10A, 1-P, ALTECH 1DU10L, UL489 ALTECH CORP. CATALOG #1DU10L, DIN MOUNT (AC) CIRCUIT BREAKER, 10A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES: SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	20.00	EA
EBR-146 (BREAKER)	15A, 1-P, ALTECH 1DU15L, UL489 ALTECH CORP. CATALOG #1DU15L, DIN MOUNT (AC) CIRCUIT BREAKER, 15A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES: SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	20.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES: SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	20.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES: SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	20.00	EA
EBR-163 (BREAKER)	3A, 1-P, ALTECH 1DU3L, UL489 ALTECH 1DU3L, DIN MOUNT (AC) CIRCUIT BREAKER, 3A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES: SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	40.00	EA
ECO-010 (CONNECTOR)	3/8" STRAIGHT ROMEX 2711 RACO 2800 I.E. 6623, NON-METALLIC CABLE, REQUIRES ONE (1) 7/8" DIA. MOUNTING HOLE; UL- & CSA-APPROVED; KRIZ: STCNC301	20.00	EA
ECO-061 (CONNECTOR)	WAGO 231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #28-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	40.00	EA
ECO-061 (CONNECTOR)	WAGO 231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #28-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	20.00	EA
EHE-046 (HEATER)	250W @ 230V U-TUBE HEATER, RED OPEN AIR HEATER, 250W @ 230V, MARKED WITH RED PAINT, WATLOW PART RBN36B1H-2, 40" OAL X 0.315" DIA., FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL, QUOTE # 710091 See drawing number 2006-1-300-7	40.00	EA
EHU-074 (HUMIDIFY)	HMP110-C11A1C3A0 INTERCAP HUM. SEN HUMIDITY SENSOR, VAISALA HMP110-C11A1C3A0 INTERCAP HUMIDITY SENSOR, MEASUREMENT RANGE: 0-100%RH, 0-5VDC OUTPUT SIGNAL, 3m CABLE, -40 to +80°C OPERATING TEMP, 5...28VDC OPERATING VOLTAGE, ±1.7% ACCURACY AT 0-40°C	20.00	EA
EHU-132 (DEHUMIDIFY)	VSA1-11 DESICCANT DRYER 230VAC/50HZ HTLS DSCC DRYER, 2.8 SCFM INLET	20.00	EA
EIN-002 (INSULINER)	422 T&B 1/2", BLUE OR BLACK THOMAS & BETTS #422; 1/2" TRADE SIZE, BLUE OR BLACK, INSULINER; UL-APPROVED (UL FILE #E23018); FOR USE W/ (ECO-010).	40.00	EA
EPC-045 (USB CABLE)	PANEL MOUNT USB CABLE, A-A F/M, 5FT MYCABLEMART FE-USB-PM-05, PANEL MOUNT, MOLDED USB CABLE, A to A, F/M, 5ft LENGTH	20.00	EA
EPL-041 (PLUG)	9 TERM., AMP MATE-N-LOK 1-480706-0	60.00	EA

Partial Parts List For Job #: 21028-0000

Date Printed: November 6, 2023

For Sales Order: Item: I66NLH18SOC8

Part #	Description	QTY	UOM
	<small>TYCO UNIVERSAL MATE-N-LOK 1-480706-0; 9-TERMINAL PLUG, 19 A @ 600 V MAX., 105°C MAX.; USE W/ (ERE-046); UL- & CSA-APPROVED.</small>		
EPS-031 (POWER SU...	120/240V IN, 12VDC OUT, 75W <small>MEAN WELL LRS-75-12</small>	20.00	EA
ERL-030 (RELAY)	DPDT,30A.,240VAC	20.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN <small>CARLO GAVAZZI RP1A23D5M1; N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.</small>	40.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN <small>CARLO GAVAZZI RP1A23D5M1; N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.</small>	20.00	EA
ESW-130 (SWITCH)	DPST ROCKER SWITCH, 20A, 125V <small>PRCDA1-20F-BB0BW DPST ROCKER SWITCH, ON-OFF, 20A @ 125V, 10A @ 250V, PANEL MOUNT, SNAP-IN, BLACK, I-O MARKINGS, RoHS COMPLIANT.</small>	20.00	EA
ETC-052 (TEMP. CON...	3 WIRE RTD, 100 OHMS <small>A/100-3W-2.5"-3/16"-10"CL2P-HS, 120° LEADS, 3 WIRE RTD SENSOR</small>	40.00	EA
ETC-108 (TEMP. CON...	INTELLUS CONTROL OVERLAY - CHINA <small>INTELLUS CONTROL OVERLAY WITH GREEN BACKGROUND FOR CHINA</small>	20.00	EA
ETC-109 (TEMP. CON...	INTELLUSULTRA GEN2, LOW END VER2 <small>WATLOW 2042-4104</small>	20.00	EA
ETE-017 (TERMINAL)	WAGO 2004-1401, GRAY, 4 TERMINAL <small>5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</small>	160.00	EA
ETE-018 (TERMINAL)	WAGO 2004-1404, BLUE, 4 TERMINAL <small>5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</small>	80.00	EA
ETE-019 (TERMINAL)	WAGO 2004-1407, GROUND, 4 TERMINAL <small>5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</small>	60.00	EA
ETE-020 (TERMINAL)	WAGO 2004-1491, END PLATE <small>5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</small>	40.00	EA
ETE-021 (TERMINAL)	WAGO 2004-402; GRAY TERM. JUMPER <small>WAGO #2004-402; LIGHT GRAY, 2-PIN PUSH-IN JUMPER BAR; FOR USE W/ 5 mm WIDE TERMINAL BLOCKS; 32 A MAX.</small>	80.00	EA
ETE-022 (TERMINAL)	WAGO 249-116, END TERMINAL ANCHOR <small>FOR 5 mm TERMINAL BLOCK WIDTH</small>	120.00	EA
ETE-030 (TERMINAL)	16-CONDUCTOR, 4-TERMINAL SNAP-IN <small>WAGO #862-0594, BLACK, NO LABELS. MTG REQUIRES TWO Ø5.2mm HOLES SPACED 12mm, PACKS OF 200; UL- & CUL-APPROVED.</small>	20.00	EA
EWR-002 (TYRAP)	6" CABLE TIES <small>100/BAG</small>	600.00	EA
EWR-002 (TYRAP)	6" CABLE TIES, FASTENAL #63123 <small>100/BAG</small>	40.00	EA
HBS-001 (SPACER)	FEMALE THREADED CIRCUIT BOARD POST <small>MICRO PLASTICS INC #27FTP00250</small>	120.00	EA
HDR-007 (DRAIN)	328 005 THRU HULL DRAIN 3/4" <small>W/NUT</small>	20.00	EA
HGA-006	GAUGE, 1/8 NPT REAR MOUNT, 0-160 PS <small>SMC K40-MP1,0-N01MS, Gauge, 1/8 NPT Rear Mount, 0-160 PSI Dial</small>	20.00	EA
HGA-007 (GAUGE)	AIR FLOW METER DWYER RMB-55 <small>DWYER RMB-55</small>	20.00	EA
HHA-008 (HANDLE)	BLACK SOUTHCO P1-30-101-11	20.00	EA
HHA-008 (HANDLE)	BLACK SOUTHCO P1-30-101-11 <small>ABS LOW GLOSS</small>	20.00	EA
HHI-029 (HINGE)	SOUTHCO EH-5A-4G4-50 <small>SERIES 40 BLACK POWDER COATED MOUNTING METHOD: M5 FOUR THREADSTUDS AT .984" BETWEEN CENTER.</small>	40.00	EA
HLL-001 (LEVELER)	1/2"-2.264" OVERALL HEIGHT <small>SK-9246-FT 1/2-13 X 2 1/4 LG LVLR</small>	80.00	EA
HLO-019 (LOCK)	COMPRESSION LOCK (1/4 TURN) <small>040-1-1-1-42-59, ELECTRAUSA chrome with slotted lock key</small>	20.00	EA
HMB-003	MODULAR ASSEMBLY MOUNTING BRACKET <small>SMC Y300T-D, Modular assembly mounting bracket</small>	40.00	EA
HNU-038 (NUT)	HEXNUT, 6/32 ONLY ZINC CHROMATE	300.00	EA
HNU-052 (NUT)	M5, .8 COARSE THREAD NUT	240.00	EA
HNU-076 (RIVET NUT)	6-32 RUBBER-INSULATED RIVET NUT <small>McMaster-Carr 93495A120, Rubber-Insulated Brass Rivet Nut, 6-32 Thread, 1/64" - 5/32" Material Thick Range</small>	160.00	EA
HST-002 (PORT PLUG)	1 1/4" ACCESS PORT PLUG <small>SHAW AGRO DEVELOPMENT #51013</small>	20.00	EA
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	120.00	EA
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	120.00	EA
HWA-011 (WASHER)	10 EXTERNAL LOCK ZINC-PLATED STEEL	40.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED <small>FASTENAL 1133618</small>	120.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED <small>FASTENAL 1133618</small>	120.00	EA
LST-007 (STAPLES)	15/16 CROWN X 3/4 LEG 16GA. STAPL <small>ROOFING STAPLE</small>	2,880.00	EA
LST-008 (STAPLES)	15/16 CROWN X 1 LEG 16GA. STAPLE <small>INTERCHANGE WC GALVANIZED STAPLE</small>	6,300.00	EA
RAC-006 (SUCTION A...	3816 REF. RESEARCH, 1/2 ODF <small>REFRIGERATION RESEARCH #3816; 4" X 6-1/2" L, 1/2" ODF SOLDER INLET & OUTLET CONNECTIONS; 2.3# of R-134a HOLDING CAPACITY.</small>	20.00	EA

Partial Parts List For Job #: 21028-0000

Date Printed: November 6, 2023

For Sales Order: Item: I66NLH18SOC8

Part #	Description	QTY	UOM
RCO-053 (UNIT COOLER)	BOHN TA43SG, 208-230VAC/1PH/60HZ BOHN TA43SG UNIT COOLER, W/ SINGLE-CIRCUIT COIL, W/ FOUR (4) 208-230 VAC/SINGLE-PHASE/60 Hz FANS, 0.4 FLA/FAN (1.6 FLA TOTAL), 540 SCFM (TOTAL), 5/8" ODF SOLDER SUCTION-LINE CONNECTION, 1/2" O.D. DRAIN NIPPLE; [NOTE: SUITABLE FOR 220 VAC/SINGLE-PHASE/60 Hz OPERATION (COOLING CAPACITY DERATING FACTOR FOR 220 VAC/SINGLE-PHASE/60 Hz OPERATION IS IN RANGE OF 0.90-0.92	20.00	EA
RCU-313	M7ZH-0045-IAZ-328 1/2HP 1/2 HP, R-134A, 220/240, 1 phase, 50 Hz, R.L.A= 3.9, MCA= 5.4 AMPS, 2.5 lbs Receiver @ 90% full (R-134a)	20.00	EA
RDI-029 (DISTRIBUTOR)	1651-2-3/16-1 1-3/8" DISTRIBUTOR 204476, 3/8" ODF INLET	20.00	EA
RDR-008 (DRIER)	SPORLAN C-052-S DRIER 1/4" LINE,	20.00	EA
RES-001 (ELBOW)	ELBOW, 3/8NOM C FTG WL1/2"OD WRO W-02321, STREET FITTING	60.00	EA
RLI-001 (LIQ. INDICATOR)	SPORLAN SA-12S 1/4 ODF SIGHT GLASS	20.00	EA
RPR-001 (PRES. REG...)	CROT-6 5/8"ODF W/STRAINER 0/60 CRANKCASE PRESSURE REGULATOR	20.00	EA
RPR-020	REGULATOR, 3/8 INCH NPT PORTS SMC AR30-N03-Z-D, Regulator, 3/8 inch NPT ports	20.00	EA
RTE-019 (TEE)	TEE, WROT 1/4"NOM SIZE, W-04000 (3/8" OD COPPER TUBE)	20.00	EA
RUN-014 (UNION)	U1-4B 1/4 X 1/4 HALF UNION R53-053	20.00	EA
RVH-002 (HAND VALVE)	EBVP-1030 3/8" ODF BALL VALVE WITH ACCESS PORT, PARKER 502054	20.00	EA
RVQ-003 (BODY)	QE BODY 2 X 4 X 2 SAE 168016, 1/4 SAE INLET, 1/2 SAE OUTLET, 1/4 SAE EXTERNAL EQUALIZER	20.00	EA
RVQ-101 (CARTRIDGE)	QC-1 YELLOW Q CARTRIDGE/ID TAG 168072	20.00	EA
RVQ-200 (ELEMENT)	KT-43-JC 30' ELEMENT 180314	20.00	EA
RVS-027 (VALVE)	FEMALE DIN CONNECTOR ASSY GOES W/RVS-028 ON RVS-030 & RVS-031	40.00	EA
RVS-028 (VALVE)	OMKC-1E 220-240/50 COIL	40.00	EA
RVS-030 (VALVE)	SOLENOID VALVE XWG-2, LESS COIL SPORLAN XWG-2- W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	20.00	EA
RVS-031 (VALVE)	SOLENOID VALVE XUP-7, LESS COIL SPORLAN XUP, W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	20.00	EA
SCL-005 (CLIP)	#66 STAINLESS STL CLIP 0066-000008	960.00	EA
SPI-016 (PILASTER)	S.S. 54" LENGTH, 10060009054 Stainless Steel, 54" long	160.00	EA
SWS-041 (SHELF)	SHELF, 27" X 28 3/4" W/WHITE EPOXY FINISH, DWG. 95-3-300-99EP	240.00	EA
XFI-043	FILTER, PARTICULATE, 5 MICRON SMC AF30-N03C-Z-D - Filter, particulate, 5 micron, 3/8 inch NPT ports, with N.C. auto drain	20.00	EA
XFI-044	FILTER, COALESCING, .01 MICRON SMC AFD30-N03C-Z-D, Filter, coalescing, .01 micron, 3/8 inch NPT ports, with N.C. auto drain	20.00	EA
XFI-045	FILTER, COALESCING, .01 MICRON SMC AFF30-N03C-Z-D, Filter, 1 micron, 3/8 inch NPT ports, with N.C. auto drain	20.00	EA
XGA-040 (GASKET)	31 1/2" X 59 3/4"OD, 4 SIDED BLACK MAGNETIC DOOR GASKET	20.00	EA
XGA-040 (GASKET)	31 1/2" X 59 3/4"OD, 4 SIDED BLACK MAGNETIC DOOR GASKET	20.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE	40.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE LAVELLE INDUSTRIES #1022	80.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	40.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	20.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	20.00	EA
XGR-006 (GROMMET)	1/2" ID X 13/16" O.D. X 5/8" HOLE BLACK VINYL, 1/2" I.D. X 13/16" O.D. X 5/8" GROOVE DIA. X 1/16" GROOVE WIDTH X 9/32" THICK	40.00	EA
XGR-007 (GROMMET)	5/8" ID X 7/8" HOLE #875 PLASTIC BLACK VINYL	40.00	EA
XGR-013 (GROMMET)	PUSH-IN GROMMET 1/4" ID, 5/8" OD Push-in Grommet 1/4" ID, 5/8" OD	20.00	EA
XLA-013 (LABEL)	WAGO 44 X 99 MM, SILVER LABEL WAGO 210-804, 44 MM X 99 MM, 500 MARKERS PER ROLL, WEIGHS 400 GRAMS PER ROLL, SILVER-COLORED	40.00	EA
YCF-005 (FEMALE CO...)	FEMALE CONN., 1/4 PUSH-IN X 1/4NPTF	40.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID COMPONENT HARDWARE #R90-1002 Flexible Insulating Conduit Sleeve	20.00	EA
YEF-002 (PLASTIC E...)	62052, 1/2ID X 1/2 POLY TUBING HOSE	20.00	EA
YEL-006(ELBOW)	PVC ELBOW, 3/4FTP X 3/4 BARB	20.00	EA

Partial Parts List For Job #: 21028-0000

Date Printed: November 6, 2023

For Sales Order: Item: I66NLH18SOC8

Part #	Description	QTY	UOM
YEL-023 (ELBOW)	US PLASTICS PVC STOCK# 24056 or LASCO FITTING, INC# 1407-007 90° ELBOW, 1/4 X 1/4 O.D. PUSH-IN FAST FITTINGS, PART #20-152P, 90° UNION ELBOW, 1/4" X 1/4" PLASTIC PUSH-IN TUBE FITTINGS, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	20.00	EA
YEL-024 (ELBOW)	90° ELBOW, 1/4 PUSH-IN X 1/4NPTF FAST FITTINGS, PART #20-069P, 90° FIXED ELBOW, 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING X 1/4NPTF, FIXED ELBOW, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	40.00	EA
YEL-027 (ELBOW)	90° ELBOW, 1/4 STEM X 1/4 TUBE FAST FITTING, PART #20-742P, JOHN GUEST, PART #PI220808S, 90° PLUG-IN ELBOW, 1/4 O.D. PUSH-IN STEM X 1/4 O.D. PUSH-IN TUBE, -4-70°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	40.00	EA
YEL-035 (ELBOW)	90° ELBOW, 3/8 X 3/8 O.D. PUSH-IN FAST FITTINGS, PART #20-153P, 90° UNION ELBOW, 3/8" X 3/8" PLASTIC PUSH-IN TUBE FITTINGS, 33°F-140°F (1°C-60°C) OPERATING TEMP RANGE, 0-150 psi AIR/LIQUID OPERATING PRESSURE RANGE.	100.00	EA
YEL-048 (ELBOW)	90° ELBOW, 1/4 PUSH-IN X 3/8 NPTF JOHN GUEST PI489823S, 90° FIXED ELBOW, 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING X 3/8 NPTF, FIXED ELBOW, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	100.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE SOUTHCO 96-10-400-11	60.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE SOUTHCO 96-10-400-11	60.00	EA
YHS-001 (SPACER)	HINGE SPACER 95-3-50-5A 30% GLASS FILLED NYLON/ BLACK	60.00	EA
YHS-001 (SPACER)	HINGE SPACER 95-3-50-5A 30% GLASS FILLED NYLON/ BLACK	60.00	EA
YMC-007 (MALE CON...)	MALE CONNECTOR, 1/4 PUSH X 1/4 NPTF FAST FITTINGS, PART #20-055P, MALE CONNECTOR, 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING X 1/4 NPTF, STRAIGHT, 1-60°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	40.00	EA
YMC-011 (MALE CON...)	MALE CONNECTOR, 1/4 PUSH X 3/8 NPTF JOHN GUEST PI010823S, MALE CONNECTOR, 1/4" O.D. PLASTIC PUSH-IN TUBE FITTING X 3/8" NPTF, STRAIGHT, 33°F-140°F (1°C-60°C) OPERATING TEMP RANGE, 0-150 psi AIR/LIQUID OPERATING PRESSURE RANGE.	20.00	EA
YTE-019 (TEE)	UNION TEE, 3/8 X 3/8 X 3/8 PUSH-IN FAST FITTINGS, PART #20-029P, UNION TEE, 3/8" X 3/8" X 3/8" O.D. PLASTIC PUSH-IN TUBE FITTING; 33°F-140°F (1°C-60°C) OPERATING TEMP RANGE, 0-150 psi AIR/LIQUID OPERATING PRESSURE RANGE.	40.00	EA
YTE-025 (TEE)	REDUCING TEE, 3/8 X 3/8X1/4 PUSH-IN MCMaster-CARR 51055K422, REDUCING BRANCH TEE, 1/2" X 1/2" X 2/8" O.D. PLASTIC PUSH-IN TUBE FITTING; 33°F-140°F (1°C-60°C) OPERATING TEMP RANGE, 0-150 psi AIR/LIQUID OPERATING PRESSURE RANGE.	20.00	EA
YUN-003 (UNION)	BULKHEAD UNION, 1/4 X 1/4" PUSH-IN FAST FITTINGS, PART #20-127P, BULKHEAD UNION, 1/4 X 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	20.00	EA