

Partial Parts List For Job #: 21434-0000

Date Printed: April 26, 2024

For Sales Order: 33580 Item: ARC-36L4CUC8PC

Part #	Description	QTY	UOM
2015-1C-30	36 SERIES INSULATED BOX (PURCHASED) REV. B IS THE NEW BOX DESIGN OFF THE SALVAGNINI WITH NEW FLOOR DRAIN & BREAKER REDESIGN. CHANGE ON BOXES SHIPPED FROM LEER AFTER 9-1-16.	2.00	EA
2017-5-230-1	SHORT (NORMAL) SENSOR BRACKET Bend Location: B--	2.00	EA
2018-8-600-1	DOUBLE FLARE COPPER TUBE 1/2" OD COPPER, 9" LENGTH	2.00	EA
2020-11-300-1	UPPER LAMP BANK FIXTURE SUPPORT Bend Location: B--	4.00	EA
2020-11-70-2	UNIT COOLER AIR BLOCK Bend Location: B--	2.00	EA
2020-11-70-3L	LH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	2.00	EA
2020-11-70-3R	RH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	2.00	EA
2020-11-70-4	AIR BLOCK BACKING STRIP 22 GA #304-4 S.S.	4.00	EA
2020-11-70-5	UNIT COOLER AIR BLOCK RUBBER 1/16" X 4 3/4" X 6" NEOPRENE RUBBER	4.00	EA
2020-11-90-1	FIXTURE SUPPORT Bend Location: B--	12.00	EA
2020-11-90-2	AIR PLENUM SUPPORT Bend Location: B--	12.00	EA
2020-11-90-2	AIR PLENUM SUPPORT Bend Location: B--	4.00	EA
2020-11-95-1	BOTTOM FIXTURE SUPPORT 22 GA #304-4 S.S.	4.00	EA
2020-2-100-2	36 CONTROL BOX ENCLOSURE Bend Location: A--	2.00	EA
2020-2-100-3	36 CONTROL BOX TOP COVER Bend Location: B--	2.00	EA
2020-2-100-4	36 CONTROL BOX DOOR STOP Bend Location: B--	2.00	EA
2020-2-100-5	36 SOLID-STATE RELAY MOUNTING PLATE Bend Location: B--	2.00	EA
2020-2-100B	CONTROL BOX LOCK CATCH PLATE WELD	2.00	EA
2020-2-100C	36 CONTROL BOX DOOR WELD ASS'Y	2.00	EA
2020-2-80-1L	LH CONTROL TOP CORNER Bend Location: B--	2.00	EA
2020-2-80-1R	RH CONTROL TOP CORNER 18 GA PTLOK	2.00	EA
2020-2-80-2	36 CONTROL TOP REAR PANEL 22 GA PTLOK	2.00	EA
2020-2-80-3	36 MECH SECTION COVER 22 GA PTLOK	2.00	EA
2020-21-110-1	DRIVER RACK Bend Location: B--	2.00	EA
2021-8-170-1	HEATER BRACKET	4.00	EA
57458	DRIER CLAMP Bend Location: B--	2.00	EA
70-2-300-16	SUCTION ACCUMULATOR MTG. BRACKET Bend Location: B--	4.00	EA
93-5-140-1	AIR PLENUM Bend Location: A--	6.00	EA
93-5-140-1	AIR PLENUM Bend Location: A--	2.00	EA
93-5-140-2	AIR DIFFUSER PLATE Bend Location: A--	6.00	EA
93-5-140-2	AIR DIFFUSER PLATE Bend Location: A--	2.00	EA
93-5-140-5	AIR DEFLECTOR 23% OPEN ALUM. Bend Location: A--	6.00	EA
93-5-140-5	AIR DEFLECTOR 23% OPEN ALUM. Bend Location: A--	2.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	4.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	4.00	EA
95-3-300-2	CONDENSING UNIT PLATE Bend Location: B--	2.00	EA
95-3-300-5	TOP LH PANEL Bend Location: B--	2.00	EA
95-3-300-6	TOP RH SCREEN Bend Location: B--	2.00	EA
95-4-140-3	AIR DIFFUSER SCREEN Bend Location: A--	6.00	EA
95-4-140-3	AIR DIFFUSER SCREEN Bend Location: A--	2.00	EA
95-4-140-4	LOUVER Bend Location: B--	6.00	EA
95-4-140-5	BOTTOM LOUVER W/ NOTCH 22 GA PTLOK	2.00	EA
95-4-300-3	REAR AIR BLOCKS	8.00	EA

Partial Parts List For Job #: 21434-0000

Date Printed: April 26, 2024

For Sales Order: Item: ARC-36L4CUC8PC

Part #	Description	QTY	UOM
95-4-300-4	22 GA PTLOK 11 15/16 X 26 SHIPPING CLIP-AIR PLENUM	4.00	EA
95-4-300-97	22 GA. #304-5 S.S. 3/4" X 2 15/16" RH RECEPTACLE PANEL	2.00	EA
95-4-50-1	Bend location: A-- DOOR FACE PANEL	2.00	EA
95-4-50-2	Bend Location: A-- DOOR CORE PANEL	2.00	EA
95-4-50-5	Bend Location: FLAT CORNER-DOOR CORE	8.00	EA
95481	SPORLAN SOLENOID VALVE MOUNT 16 GA GALV 1 5/8" X 3 3/8"	4.00	EA
98-2-300-7	LH RECEPTACLE PANEL 22 GA PTLOK	2.00	EA
CMS-027 (MACH.	1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	12.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	8.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	8.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	6.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S.	4.00	EA
CMS-074 (MACH.	10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW 6-32 X 1" PHILLIPS RD. HD., S.S.	8.00	EA
CMS-111 (MACH.	6-32 X 1/4" PHIL. PAN HEAD, ZINC LED LIGHT MOUNTING SCREWS: Thrd-Cutting Screw for Metal&Plastic (Type F) Pan Head Phil, Zinc-Plated Steel, 6-32 Thread, 1/4" L	128.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	8.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	8.00	EA
CSM-020 (S.M. SCREW)	10-16 X 3/4" HEX WASHER HEAD TEKS S 10-16 X 3/4" HEX WASHER HEAD SHEET METAL SCREW, DRILL POINT, GRADE 2, ZINC-PLATED STEEL	48.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	30.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	72.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	80.00	EA
CWS-024 (DRYWALL ...)	8 X 2 PARTICAL BOARD SCREW PARTIAL THREAD 8 X 2 PHILIPS HEAD FLAT HEAD WITH NIBS, BLACK PHOS STEEL	82.00	EA
CWS-024 (DRYWALL ...)	8 X 2 PARTICAL BOARD SCREW PARTIAL THREAD 8 X 2 PHILIPS HEAD FLAT HEAD WITH NIBS, BLACK PHOS STEEL	82.00	EA
EBR-145 (BREAKER)	10A, 1-P, ALTECH 1DU10L, UL489 ALTECH CORP. CATALOG #1DU10L, DIN MOUNT (AC) CIRCUIT BREAKER, 10A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	2.00	EA
EBR-146 (BREAKER)	15A, 1-P, ALTECH 1DU15L, UL489 ALTECH CORP. CATALOG #1DU15L, DIN MOUNT (AC) CIRCUIT BREAKER, 15A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	2.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	6.00	EA
EBR-163 (BREAKER)	3A, 1-P, ALTECH 1DU3L, UL489 ALTECH 1DU3L, DIN MOUNT (AC) CIRCUIT BREAKER, 3A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	4.00	EA
EBU-016 (BUSHING)	SR7N-2 HEYCO INSULATOR BUSHING HEYCO #1244 STRAIN RELIEF BUSHING, BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	8.00	EA
ECO-010 (CONNECTOR)	3/8" STRAIGHT ROMEX 2711 RACO 2800 I.E. 6623, NON-METALLIC CABLE, REQUIRES ONE (1) 7/8" DIA. MOUNTING HOLE; UL- & CSA-APPROVED; KRIZ: STGNC301	2.00	EA
ECO-061 (CONNECTOR)	WAGO 231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #28-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	4.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	36.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	24.00	EA
ECO-120 (CONNECTOR)	WAGO 3 CONDUCTORS LEVER CONNECTOR WAGO 221-413, 24-12 GA. WIRE, 600V, 20A, 3 COMMON TERMINALS, UL, CE, EN, 50/BOX	2.00	EA
ECO-120 (CONNECTOR)	WAGO 3 CONDUCTORS LEVER CONNECTOR WAGO 221-413, 24-12 GA. WIRE, 600V, 20A, 3 COMMON TERMINALS, UL, CE, EN, 50/BOX	16.00	EA
ECO-121 (CONNECTOR)	WAGO 5 CONDUCTORS LEVER CONNECTOR WAGO 221-415, 24-12 GA. WIRE, 600V, 20A, 5 COMMON TERMINALS, UL, CE, EN, 25/BOX	10.00	EA
EHE-046 (HEATER)	250W @ 230V U-TUBE HEATER, RED OPEN AIR HEATER, 250W @ 230V, MARKED WITH RED PAINT, WATLOW PART RBN36B1H-2, 40" OAL X 0.315" DIA., FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL, QUOTE # 710091 See drawing number 2006-1-300-7	2.00	EA
EIN-002 (INSULINER)	422 T&B 1/2", BLUE OR BLACK THOMAS & BETTS #422; 1/2" TRADE SIZE, BLUE OR BLACK, INSULINER; UL-APPROVED (UL FILE #E23018); FOR USE W/ (ECO-010).	4.00	EA
ELD-048	DALI TO PWM CONVERTER (4 CHANNELS) MEAN WELL DAP-04-S01	2.00	EA
ELD-052	4 CH 10V TO 5V PWM SIGNAL CONVERTER	2.00	EA

Partial Parts List For Job #: 21434-0000

Date Printed: April 26, 2024

For Sales Order: Item: ARC-36L4CUC8PC

Part #	Description	QTY	UOM
ELD-140	<p>FOUR CHANNELS 10V PWM to 5V PWM SIGNAL CONVERTER FOR USE WITH 48VDC LED PRODUCTS AND IN CONJUNCTION WITH Meanwell DAP-04, DAP-04-S01</p> <p>LED DRIVER, MEANWELL LDD-700H MEANWELL LDD-700H LED DRIVER, CONSTANT CURRENT, 700mA OUTPUT CURRENT, 2-52VDC OUTPUT VOLTAGE, 9-56VDC INPUT VOLTAGE, WITH DIMMING, 1 OUTPUT, THROUGH-HOLE MOUNTING STYLE, -40 TO 85°C OPERATING TEMP RANGE, RoHS, 12.2mm HEIGHT, 31.8mm LENGTH, 0.45oz WEIGHT</p>	8.00	EA
ELD-143A	<p>12 X 24 TILE CH1=WH + CH2=IR W/COAT Petriclear LED tile 12" x 24" LED tile WITH CONFORMAL COATING. With two Dimming channels in one board: Dim1= 5700K, CRI-90 Dim 2= IR (860nm)</p>	16.00	EA
ELD-151	<p>LDD-H-4S BOARD RAPID LED CARRIER BOARD FOR LDD SERIES LED DRIVERS, SOCKETS AND COMPONENTS FOR 4 INDIVIDUAL LIGHTING CIRCUITS</p>	2.00	EA
ELD-152	<p>APC-35-700 POWER SUPPLY 35 WATT SINGLE OUTPUT NON-DIMMABLE POWER SUPPLY</p>	8.00	EA
EPC-032 (USB CABLE)	<p>PANEL MOUNT USB CABLE, A-A F/M, 3FT STARTECH USBPNLAFAM3</p>	2.00	EA
EPL-041 (PLUG)	<p>9 TERM., AMP MATE-N-LOK 1-480706-0 TYCO UNIVERSAL MATE-N-LOK 1-480706-0; 9-TERMINAL PLUG, 19 A @ 600 V MAX., 105°C MAX.; USE W/ (ERE-046); UL- & CSA-APPROVED.</p>	6.00	EA
EPL-052 (PLUG)	<p>EMF CORP. P-7-1 CORDSET (7-COLOR) EMF CORP. P-7-1 7-WIRE CORDSET; SEVEN COLORS, SEVEN (7) AWG 18 X 48" STRANDED Cu WIRES, SEVEN-PIN RIGHT-ANGLE PLUG MOLDED ON 3/8" X 44" LENGTH WHITE PVC INSULATION, 4" LENGTH EXPOSED 1/4" PRESTRIPPED WIRE LEADS.</p>	8.00	EA
EPL-059 (PLUG)	<p>TYCO 172167-1 MINI M-N-L , 4 SOCKET 172167-1 MINI MATE-N-LOK Connector, Soft Shell; 4; 600 VAC; Plug; Double-Row; Nylon; Plug; Natural</p>	2.00	EA
EPS-024 (POWER SU...)	<p>120/240V IN, 48VDC OUT, 320W MEAN WELL RSP-320-48</p>	2.00	EA
EPS-031 (POWER SU...)	<p>120/240V IN, 12VDC OUT, 75W MEAN WELL LRS-75-12</p>	2.00	EA
ERE-083 (RECEPTACLE)	<p>R-7-1, 108" SOLID WIRE 7-COLOR SEVEN SOCKET / SEVEN COLOR, 108" SOLID WIRE LEN., W / WIRE STRIPPED AT ENDS</p>	8.00	EA
ERL-030 (RELAY)	<p>DPDT,30A.,240VAC</p>	2.00	EA
ERL-060 (RELAY)	<p>S.S., N.O., 3-32 VDC INPUT, 5A, DIN CARLO GAVAZZI RP1A23D5M1; N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.</p>	4.00	EA
ESW-130 (SWITCH)	<p>DPST ROCKER SWITCH, 20A, 125V PRCDA1-20F-BB08W DPST ROCKER SWITCH, ON-OFF, 20A @ 125V, 10A @ 250V, PANEL MOUNT, SNAP-IN, BLACK, I-O MARKINGS, RoHS COMPLIANT.</p>	2.00	EA
ETC-052 (TEMP. CON...)	<p>3 WIRE RTD, 100 OHMS A/100-3W-2.5"-3/16"-10"CL2P-HS, 120° LEADS, 3 WIRE RTD SENSOR</p>	4.00	EA
ETC-108 (TEMP. CON...)	<p>INTELLUS CONTROL OVERLAY - CHINA INTELLUS CONTROL OVERLAY WITH GREEN BACKGROUND FOR CHINA</p>	2.00	EA
ETC-109 (TEMP. CON...)	<p>INTELLUSULTRA GEN2, LOW END VER2 WATLOW 2042-4104</p>	2.00	EA
ETE-017 (TERMINAL)	<p>WAGO 2004-1401, GRAY, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</p>	16.00	EA
ETE-018 (TERMINAL)	<p>WAGO 2004-1404, BLUE, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</p>	8.00	EA
ETE-019 (TERMINAL)	<p>WAGO 2004-1407, GROUND, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</p>	4.00	EA
ETE-020 (TERMINAL)	<p>WAGO 2004-1491, END PLATE 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL</p>	4.00	EA
ETE-021 (TERMINAL)	<p>WAGO 2004-402; GRAY TERM. JUMPER WAGO #2004-402; LIGHT GRAY, 2-PIN PUSH-IN JUMPER BAR; FOR USE W/ 5 mm WIDE TERMINAL BLOCKS; 32 A MAX.</p>	8.00	EA
ETE-022 (TERMINAL)	<p>WAGO 249-116, END TERMINAL ANCHOR FOR 5 mm TERMINAL BLOCK WIDTH</p>	16.00	EA
EWR-002 (TYRAP)	<p>6" CABLE TIES 100/BAG</p>	60.00	EA
EWR-002 (TYRAP)	<p>CABLE TIES, RP14897</p>	8.00	EA
HBS-001 (SPACER)	<p>FEMALE THREADED CIRCUIT BOARD POST MICRO PLASTICS INC #27FTP00250</p>	12.00	EA
HHA-008 (HANDLE)	<p>BLACK SOUTHCO P1-30-101-11 ABS LOW GLOSS</p>	2.00	EA
HHI-029 (HINGE)	<p>SOUTHCO EH-5A-4G4-50 SERIES 40 BLACK POWDER COATED MOUNTING METHOD: M5 FOUR THREADSTUDS AT .984" BETWEEN CENTER.</p>	4.00	EA
HLO-019 (LOCK)	<p>COMPRESSION LOCK (1/4 TURN) 040-1-1-1-42-59, ELECTRAUSA chrome with slotted lock key</p>	2.00	EA
HNU-038 (NUT)	<p>HEXNUT, 6/32 ONLY ZINC CHROMATE</p>	30.00	EA
HNU-052 (NUT)	<p>M5, .8 COARSE THREAD NUT</p>	16.00	EA
HNU-068 (NUT)	<p>LOCKNUT, 6-32, 18-8 S.S. McMASTER-CARR #91831A007</p>	8.00	EA
HNU-076 (RIVET NUT)	<p>6-32 RUBBER-INSULATED RIVET NUT McMaster-Carr 93495A120, Rubber-Insulated Brass Rivet Nut, 6-32 Thread, 1/64" - 5/32" Material Thick Range</p>	8.00	EA
HST-016 (PORT PLUG)	<p>1 1/4" PLUG FOR ACCESS PORT</p>	2.00	EA
HWA-008 (WASHER)	<p>1/4" FLAT, ZINC PLATED</p>	12.00	EA
HWA-011 (WASHER)	<p>10 EXTERNAL LOCK ZINC-PLATED STEEL</p>	4.00	EA
HWA-012 (WASHER)	<p>1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618</p>	12.00	EA

Partial Parts List For Job #: 21434-0000

Date Printed: April 26, 2024

For Sales Order: Item: ARC-36L4CUC8PC

Part #	Description	QTY	UOM
LST-007 (STAPLES)	15/16 CROWN X 3/4 LEG 16GA. STAPL ROOFING STAPLE	288.00	EA
LST-007 (STAPLES)	15/16 CROWN X 3/4 LEG 16GA. STAPL ROOFING STAPLE	288.00	EA
LST-008 (STAPLES)	15/16 CROWN X 1 LEG 16GA. STAPLE INTERCHANGE WC GALVANIZED STAPLE	534.00	EA
LST-008 (STAPLES)	15/16 CROWN X 1 LEG 16GA. STAPLE INTERCHANGE WC GALVANIZED STAPLE	534.00	EA
RAC-006 (SUCTION A...	3816 REF. RESEARCH, 1/2 ODF REFRIGERATION RESEARCH #3816; Ø 4" X 6-1/2" L, 1/2" ODF SOLDER INLET & OUTLET CONNECTIONS; 2.3# of R-134a HOLDING CAPACITY.	2.00	EA
RCO-052 (UNIT COOLER)	BOHN TA17SG, 208-230 VAC, 60 HZ BOHN T17SG; 208-230 VAC/1-PHASE/60 Hz; W/ 1/2 SAE FLARE NUT INLET & 3/8 ODF SOLDER SUCTION-LINE CONNECTIONS, 1/2 O.D. CONDENSATE DRIP PAN DRAIN CONNECTION; W/ 1,700 BTU/(hr.-10°F TD) COOLING CAPACITY; R-134a, W/ TWO (2) 208-230 VAC/1-PHASE/60 Hz FANS, 0.8 FLA TOTAL @ 208-230 VAC; 210 cfm TOTAL; UL & cUL LISTED; NSF 7-1997 CLASSIFIED.	2.00	EA
RCU-313	M7ZH-0045-IAZ-328 1/2HP 2022: 1/2 HP, R-134A, 220/240, 1 phase, 50 Hz, R.L.A= 3.9, MCA= 5.4 AMPS, 2.5 lbs Receiver @ 90% full (R-134a)	2.00	EA
RDR-008 (DRIER)	SPORLAN C-052-S DRIER 1/4" LINE.	2.00	EA
RES-001 (ELBOW)	ELBOW, 3/8NOM C FTG WL1/2"OD WRO W-02321, STREET FITTING	2.00	EA
RFN-001 (FLARE NUT)	FREY #14FS4, 1/4" SHORT TYPE FORGED	4.00	EA
RFN-004 (FLARE NUT)	NST4-8 1/2"OD TUBE, STA-TITE	2.00	EA
RLI-001 (LIQ. INDICATOR)	SPORLAN SA-12S 1/4 ODF SIGHT GLASS 25 per box	2.00	EA
RPR-001 (PRES. REG...	CROT-6 5/8"ODF W/STRAINER 0/60 CRANKCASE PRESSURE REGULATOR	2.00	EA
RTE-030 (TEE)	W-4002, 1/2" X 1/2" X 3/8"	2.00	EA
RVH-002 (HAND VALVE)	A-14850C MUELLER 3/8" ODF	2.00	EA
RVQ-001 (BODY)	Q BODY 2 X 4 SAE 168011, 1/4 SAE INLET, 1/2 SAE OUTLET	2.00	EA
RVQ-102 (CARTRIDGE)	QC-2 GREEN Q CARTRIDGE/ID TAG 168074	2.00	EA
RVQ-200 (ELEMENT)	KT-43-JC 30' ELEMENT 180314	2.00	EA
RVS-027 (VALVE)	FEMALE DIN CONNECTOR ASSY GOES W/RVS-028 ON RVS-030 & RVS-031	4.00	EA
RVS-028 (VALVE)	OMKC-1E 220-240/50 COIL GOES W/RVS-027 ON RVS-030 & RVS-031	4.00	EA
RVS-030 (VALVE)	SOLENOID VALVE #XWG-2, LESS COIL SPORLAN #XWG; W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	2.00	EA
RVS-031 (VALVE)	SOLENOID VALVE #XUP-7, LESS COIL SPORLAN #XUP; W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	2.00	EA
SWS-041 (SHELF)	SHELF, 27" X 28 3/4" W/WHITE EPOXY-POLYESTER HYBRID FINISH, DWG. 95-3-300-99EP	8.00	EA
XBU-001 (BUMPER)	0.78" O.D. X 0.20" THICK, CLEAR BUMPER SPECIALTIES #BS-41, 0.78" O.D. X 0.20" THICK, CLEAR, SELF-ADHESIVE BACK	16.00	EA
XGA-040 (GASKET)	31 1/2" X 59 3/4"OD, 4 SIDED BLACK MAGNETIC DOOR GASKET	2.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE	4.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE LAVELLE INDUSTRIES #1022	4.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-1/4" I.D. X FOR 1-1/2" DIA. HOLE X 3/8" THICKNESS X 1/16" GROOVE WIDTH, BLACK	4.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	2.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	2.00	EA
XGR-005 (GROMMET)	3/8" I.D. X 1/2" HOLE, BLACK VINYL BLACK VINYL, G1089 PLASTIC	4.00	EA
XGR-007 (GROMMET)	5/8" ID X 7/8" HOLE #875 PLASTIC BLACK VINYL	12.00	EA
XGR-022 (GROMMET)	WHT LCKING GROMMET FOR 3/8 DIA HOLE McMaster-Carr 5269T232, Locking Grommet for 3/8" Hole Diameter, 3/16" ID, White	16.00	EA
XLA-013 (LABEL)	WAGO 44 X 99 MM, SILVER LABEL WAGO 210-804, 44 MM X 99 MM, 500 MARKERS PER ROLL, WEIGHS 400 GRAMS PER ROLL, SILVER-COLORED	4.00	EA
YCA-005 (CAPLUG)	BPF-1-5, 1" HOLE	12.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID COMPONENT HARDWARE R90-1002 Flexible Insulating Conduit Sleeve	2.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE SOUTHCO 96-10-400-11	6.00	EA
YHS-001 (SPACER)	HINGE SPACER 95-3-50-5A	6.00	EA

Partial Parts List For Job #: 21434-0000

Date Printed: April 26, 2024

For Sales Order:

Item: ARC-36L4CUC8PC

Part #	Description	QTY	UOM
YWA-001 (WASHER)	<small>30% GLASS FILLED NYLON/ BLACK</small> .040 PLASTIC SHOULDER WASHER <small>24SW0006 0.040" Nylon 6/6 Shoulder Washer with Natural Finish, Off White</small>	128.00	EA