

Partial Parts List For Job #: 21803-0000

Date Printed: August 27, 2024

For Sales Order: 34275 Item: ARC-36L2-EC8TSWR

Part #	Description	QTY	UOM
2015-1C-30	36 SERIES INSULATED BOX (PURCHASED) REV. B IS THE NEW BOX DESIGN OFF THE SALVAGNINI WITH NEW FLOOR DRAIN & BREAKER REDESIGN. CHANGE ON BOXES SHIPPED FROM LEER AFTER 9-1-16.	5.00	EA
2017-5-230-1	SHORT (NORMAL) SENSOR BRACKET Bend Location: B--	5.00	EA
2019-18-100-2	MOUNTING BRACKET Bend Location: B--	5.00	EA
2020-11-120-1	36 LAMP BANK BASE Bend Location: A--	10.00	EA
2020-11-120-2	36 LAMP BANK COVER Bend Location: A--	10.00	EA
2020-11-70-2	UNIT COOLER AIR BLOCK Bend Location: B--	5.00	EA
2020-11-70-3L	LH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	5.00	EA
2020-11-70-3R	RH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	5.00	EA
2020-11-70-4	AIR BLOCK BACKING STRIP 22 GA #304-4 S.S.	10.00	EA
2020-11-70-5	UNIT COOLER AIR BLOCK RUBBER 1/16" X 4 3/4" X 6" NEOPRENE RUBBER	10.00	EA
2020-2-100-1	36 CONTROL BOX DOOR W/ TABLET Bend Location: A--	5.00	EA
2020-2-100-2	36 CONTROL BOX ENCLOSURE Bend Location: A--	5.00	EA
2020-2-100-3	36 CONTROL BOX TOP COVER Bend Location: B--	5.00	EA
2020-2-100-4	36 CONTROL BOX DOOR STOP Bend Location: B--	5.00	EA
2020-2-100-5	36 SOLID-STATE RELAY MOUNTING PLATE Bend Location: B--	5.00	EA
2020-2-100A	HINGED INTELLUS BRACKET WELD	5.00	EA
2020-2-100B	CONTROL BOX LOCK CATCH PLATE WELD	5.00	EA
2020-2-80-1L	LH CONTROL TOP CORNER Bend Location: B--	5.00	EA
2020-2-80-1R	RH CONTROL TOP CORNER 18 GA PTLOK	5.00	EA
2020-2-80-2	36 CONTROL TOP REAR PANEL 22 GA PTLOK	5.00	EA
2020-2-80-3	36 MECH SECTION COVER 22 GA PTLOK	5.00	EA
2020-21-110-1	DRIVER RACK Bend Location: B--	5.00	EA
2021-8-170-1	HEATER BRACKET	10.00	EA
57458	DRIER CLAMP Bend Location: B--	5.00	EA
70-2-300-16	SUCTION ACCUMULATOR MTG. BRACKET Bend Location: B--	5.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	10.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	10.00	EA
95-3-300-2	CONDENSING UNIT PLATE Bend Location: B--	5.00	EA
95-3-300-5	TOP LH PANEL Bend Location: B--	5.00	EA
95-3-300-6	TOP RH SCREEN Bend Location: B--	5.00	EA
95-4-300-97	RH RECEPTACLE PANEL Bend location: A--	5.00	EA
95-4-50-1	DOOR FACE PANEL Bend Location: A--	5.00	EA
95-4-50-2	DOOR CORE PANEL Bend Location: A--	5.00	EA
95-4-50-5	CORNER-DOOR CORE Bend Location: FLAT	20.00	EA
95-4-600-1	DRAIN LINE COPPER TUBING (LOWER) 1/2" OD COPPER, 25" LENGTH	5.00	EA
95-4-600-2	DRAIN LINE COPPER TUBING (UPPER) 1/2" OD COPPER, 13" LENGTH	5.00	EA
95481	SPORLAN SOLENOID VALVE MOUNT Bend Location: B--	10.00	EA
98-2-160-1	PERFORATED PLENUM 22 GA PTLOK	5.00	EA
98-2-160-2	AIR BLOCK Bend Location: B--	55.00	EA
98-2-300-7	LH RECEPTACLE PANEL 22 GA PTLOK	5.00	EA
CMS-027 (MACH.	1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	30.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	20.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	20.00	EA

Partial Parts List For Job #: 21803-0000

Date Printed: August 27, 2024

For Sales Order: Item: ARC-36L2-EC8TSWR

Part #	Description	QTY	UOM
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	10.00	EA
CMS-074 (MACH.	6-32 X 1" PHILLIPS RD. HD., S.S.	20.00	EA
CMS-111 (MACH.	6-32 X 1/4" PHIL. PAN HEAD, ZINC LED LIGHT MOUNTING SCREWS. Thrd-Cutting Screw for Metal&Plastic (Type F) Pan Head Phil, Zinc-Plated Steel, 6-32 Thread, 1/4" L	160.00	EA
CMS-141 (MACH.	10-24 UNC X 5/8, PH, BLK PLASTIC VOLT INDUSTRIAL PLASTICS SC-01024-0625-PHP-BK 10-24 UNC X 5/8" PHILLIPS, PAN HEAD, PLASTIC, MACHINE SCREW, BLACK COLOR, NYLON 6/6	110.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	20.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	20.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	180.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	70.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	100.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	30.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	75.00	EA
CSM-059 (S.M. SCREW)	14-10 X 1 TSA PH HZ PN Pan Head Phillips Screw for Sheet Metal, Zinc-Plated Steel, Number 14 Size, 1" Length	20.00	EA
CWN-012 (WELDNUT)	10-24 UNC DUAL SPUR S.S. WELD NUT 10-24 UNC, DUAL SPUR, REQUIRES A 1/4" PILOT HOLE; STAINLESS STEEL	110.00	EA
EBR-146 (BREAKER)	15A, 1-P, ALTECH 1DU15L, UL489 ALTECH CORP. CATALOG #1DU15L, DIN MOUNT (AC) CIRCUIT BREAKER, 15A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	10.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	10.00	EA
EBR-163 (BREAKER)	3A, 1-P, ALTECH 1DU3L, UL489 ALTECH #1244 STRAIN RELIEF BUSHING; BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	10.00	EA
EBU-016 (BUSHING)	SR7N-2 HEYCO INSULATOR BUSHING HEYCO #1244 STRAIN RELIEF BUSHING; BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	10.00	EA
ECL-004 (CLAMP)	3/16" NYLON CABLE CLAMP	10.00	EA
ECO-010 (CONNECTOR)	3/8" STRAIGHT ROMEX 2711 RACO 2800 I.E. 6623, NON-METALLIC CABLE, REQUIRES ONE (1) 7/8" DIA. MOUNTING HOLE; UL- & CSA-APPROVED; KRIZ. STCNC301	10.00	EA
ECO-061 (CONNECTOR)	WAGO 231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #26-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	10.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	40.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	30.00	EA
ECO-120 (CONNECTOR)	WAGO 3 CONDUCTORS LEVER CONNECTOR WAGO 221-413, 24-12 GA. WIRE, 600V, 20A, 3 COMMON TERMINALS, UL, CE, EN, 50/BOX	20.00	EA
ECO-121 (CONNECTOR)	WAGO 5 CONDUCTORS LEVER CONNECTOR WAGO 221-415, 24-12 GA. WIRE, 600V, 20A, 5 COMMON TERMINALS, UL, CE, EN, 25/BOX	5.00	EA
EHE-046 (HEATER)	250W @ 230V U-TUBE HEATER, RED OPEN AIR HEATER, 250W @ 230V, MARKED WITH RED PAINT, WATLOW PART RBN36B1H-2, 40" OAL X 0.315" DIA., FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL, QUOTE # 710091 See drawing number 2006-1-300-7	5.00	EA
EIN-002 (INSULINER)	422 T&B 1/2", BLUE OR BLACK THOMAS & BETTS #422; 1/2" TRADE SIZE, BLUE OR BLACK, INSULINER; UL-APPROVED (UL FILE #E23018); FOR USE W/ (ECO-010).	10.00	EA
ELD-033	DALI TO PWM CONVERTER (ONE DALI) MEAN WELL DAP-04	5.00	EA
ELD-071	LED DRIVER MEANWELL HLG-185H-C1400B MEANWELL HLG-185H-C1400B LED DRIVER, CONSTANT CURRENT, 1400mA OUTPUT CURRENT, 200.2W, 71-143V OUTPUT, 90-305VAC INPUT VOLTAGE, WITH DIMMING, -40 TO 90°C OPERATING TEMP RANGE, RoHS, 8.03L x 2.68"W x 1.53"H, IP65 RATING, 3 IN 1 DIMMING	10.00	EA
ELD-156	12X24 SCIWHITE W/660 RD TILE COATED 12" x 24" LED tile WITH CONFORMAL COATING, OPERATED BY A CONSTANT CURRENT REMOTE LED DRIVER.	20.00	EA
EPC-032 (USB CABLE)	PANEL MOUNT USB CABLE, A-A F/M, 3FT STARTECH USBPNLAFAM3	5.00	EA
EPC-044 (COMPUTER)	SIBO, 10" ANDROID TOUCHSCREEN SHENZHEN SIBO INDUSTRIAL & DEVELOPMENT CO, LTD. MODEL Q8919 TOUCHSCREEN HMI WITH:	5.00	EA
EPC-057 (ETHERNET)	ETHERNET CABLE - 5' CAT5 CABLE BLK 10X6-12205, 5 FT., BLACK; UL-APPROVED, RoHS-COMPLIANT, WITHOUT PVC BOOT	5.00	EA
EPL-006 (PLUG)	MALE PLUG W/LEAD 18/3 W/54"LD WHITE EMF CORP. M-3-7/PM0030; 3-WIRE CORDSET, W/ 54" LENGTH AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION, UL- & CSA-RECOGNIZED.	10.00	EA
EPL-041 (PLUG)	9 TERM., AMP MATE-N-LOK 1-480706-0 TYCO UNIVERSAL MATE-N-LOK 1-480706-0; 9-TERMINAL PLUG, 19 A @ 600 V MAX., 105°C MAX.; USE W/ (ERE-046); UL- & CSA-APPROVED.	15.00	EA
EPL-059 (PLUG)	TYCO 172167-1 MINI M-N-L , 4 SOCKET 172167-1 MINI MATE-N-LOK Connector, Soft Shell, 4; 600 VAC; Plug; Double-Row; Nylon; Plug; Natural	5.00	EA
EPS-033 (POWER SU...	100/240V IN, 12VDC OUT, 96W	5.00	EA

Partial Parts List For Job #: 21803-0000

Date Printed: August 27, 2024

For Sales Order: Item: ARC-36L2-EC8TSWR

Part #	Description	QTY	UOM
ERE-014 (RECEPTACLE)	WAGO 787-1721 FEMALE PLUG W/LEAD, 18/3W/12"LD EMF CORP. PM0020; 3-WIRE FEMALE RECEPTACLE, W/ THREE (3) 12" LENGTH X AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; REQUIRES A 1" X 1" SQUARE MOUNTING HOLE; FITS A 0.060" MAX. PANEL THICKNESS; UL- & CSA-RECOGNIZED.	10.00	EA
ERL-030 (RELAY)	SCHNEIDER, DPDT, 30A., 240VAC SCHNEIDER T92S11A22-240, Power Relay, DPDT, 240 VAC, 30 A, T92 Series, Panel Mount, Non Latching	5.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN CARLO GAVAZZI CGZ RP1A23D5M1; N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC, DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.	15.00	EA
ESW-130 (SWITCH)	DPST ROCKER SWITCH, 20A, 125V PRCDA1-20F-BB08W DPST ROCKER SWITCH, ON-OFF, 20A @ 125V, 10A @ 250V, PANEL MOUNT, SNAP-IN, BLACK, I-O MARKINGS, RoHS COMPLIANT,	5.00	EA
ETC-052 (TEMP. CON...)	3 WIRE RTD, 100 OHMS A/100-3W-2.5-3/16"-12"CL2P-HS, 144" LEADS, 3 WIRE RTD SENSOR, 100 OHMS	10.00	EA
ETC-108 (TEMP. CON...)	INTELLUS CONTROL OVERLAY - CHINA INTELLUS CONTROL OVERLAY WITH GREEN BACKGROUND FOR CHINA	5.00	EA
ETC-109 (TEMP. CON...)	INTELLUSULTRA GEN2, LOW END VER2 WATLOW 2042-4104	5.00	EA
ETE-017 (TERMINAL)	WAGO 2004-1401, GRAY, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	45.00	EA
ETE-018 (TERMINAL)	WAGO 2004-1404, BLUE, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	20.00	EA
ETE-019 (TERMINAL)	WAGO 2004-1407, GROUND, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	15.00	EA
ETE-020 (TERMINAL)	WAGO 2004-1491, END PLATE 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	25.00	EA
ETE-021 (TERMINAL)	WAGO 2004-402; GRAY TERM. JUMPER WAGO #2004-402; LIGHT GRAY, 2-PIN PUSH-IN JUMPER BAR; FOR USE W/ 5 mm WIDE TERMINAL BLOCKS; 32 A MAX.	20.00	EA
ETE-022 (TERMINAL)	WAGO 249-116, END TERMINAL ANCHOR FOR 5 mm TERMINAL BLOCK WIDTH	60.00	EA
EWR-002 (TYRAP)	6" CABLE TIES	150.00	EA
HBS-001 (SPACER)	FEMALE THREADED CIRCUIT BOARD POST MICRO PLASTICS INC #27FTP00250	30.00	EA
HHA-008 (HANDLE)	BLACK SOUTHCO P1-30-101-11 ABS LOW GLOSS	5.00	EA
HHI-029 (HINGE)	SOUTHCO EH-5A-4G4-50 SERIES 40 BLACK POWDER COATED MOUNTING METHOD: M5 FOUR THREADSTUDS AT .984" BETWEEN CENTER.	10.00	EA
HLO-019 (LOCK)	COMPRESSION LOCK (1/4 TURN) 040-1-1-1-42-59, ELECTRAUSA chrome with slotted lock key	5.00	EA
HMA-010	S-MAGNET 1" X 1/2" X 1/8" THICK BC82CS-S, 1" X 1/2" X 1/8" THICK WITH COUNTERSUNK HOLE FOR #6 SCREW, RECTANGULAR BLOCK MAGNET, N42, NICKEL PLATING, MAGNETIZED WITH THE SOUTH POLE ON THE COUNTERSUNK SIDE	5.00	EA
HNU-052 (NUT)	M5, .8 COARSE THREAD NUT	40.00	EA
HNU-068 (NUT)	LOCKNUT, 6-32, 18-8 S.S. McMASTER-CARR #91831A007	20.00	EA
HNU-076 (RIVET NUT)	6-32 RUBBER-INSULATED RIVET NUT McMaster-Carr 93495A120, Rubber-Insulated Brass Rivet Nut, 6-32 Thread, 1/64" - 5/32" Material Thick Range	20.00	EA
HST-016 (PORT PLUG)	1 1/4" PLUG FOR ACCESS PORT	5.00	EA
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	30.00	EA
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	20.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618	30.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618	20.00	EA
RAC-006 (SUCTION A...)	3816 REF. RESEARCH, 1/2 ODF REFRIGERATION RESEARCH 3816; 4" X 6-1/2" L, 1/2" ODF SOLDER INLET & OUTLET CONNECTIONS; 2.3# of R-134a HOLDING CAPACITY.	5.00	EA
RCO-052 (UNIT COOLER)	BOHN TA17SG, 208-230 VAC, 60 HZ BOHN T17SG; 208-230 VAC/1-PHASE/60 Hz; W/ 1/2 SAE FLARE NUT INLET & 3/8 ODF SOLDER SUCTION-LINE CONNECTIONS, 1/2 O.D. CONDENSATE DRIP PAN DRAIN CONNECTION; W/ 1,700 BTU/(hr.-10°F TD) COOLING CAPACITY; R-134a, W/ TWO (2) 208-230 VAC/1-PHASE/60 Hz FANS, 0.8 FLA TOTAL @ 208-230 VAC; 210 cfm TOTAL; UL & cUL LISTED; NSF 7-1997 CLASSIFIED.	5.00	EA
RCU-313	M7ZH-0045-IAZ-328 1/2HP 1/2 HP, R-134a, 220/240, 1 phase, 50 Hz, R.L.A= 3.9, MCA= 5.4 AMPS, 2.5 lbs Receiver @ 90% full (R-134a)	5.00	EA
RDR-008 (DRIER)	SPORLAN C-052-S DRIER 1/4" LINE,	5.00	EA
RFN-001 (FLARE NUT)	FREY 14FS4, 1/4" SHORT TYPE FORGED	10.00	EA
RFN-004 (FLARE NUT)	NST4-8 1/2"OD TUBE, STA-TITE	5.00	EA
RLI-001 (LIQ. INDICATOR)	SPORLAN SA-12S 1/4 ODF SIGHT GLASS	5.00	EA
RPR-001 (PRES. REG...)	CROT-6 5/8"ODF W/STRAINER 0/60 CROT-6 5/8"ODF W/STRAINER 0/60	5.00	EA
RRE-002 (RECEIVER)	REF. RESEARCH 1917, 3LB CAPACITY REFRIGERATION RESEARCH 1917, 3LB R22, R134a, R502 CAPACITY @ 90% PUMPDOWN & 90 DEG. F REFRIGERANT TEMP., 1/4" SAE FLARE INLET CONNECTION, 1/4" SAE SERVICE VALVE OUTLET CONNECTION, 3/8-16 UNC X 1/2" VERT. MOUNTING STUD, 3-1/2" DIA. END CAPS X 10" TALL, PERMANENT FUSIBLE PLUG, "EN" UL CODE IDENTIFIER, 500 psig WORKING PRESS.	5.00	EA
RTE-030 (TEE)	W-04002, 1/2" X 1/2" X 3/8"	5.00	EA

Partial Parts List For Job #: 21803-0000

Date Printed: August 27, 2024

For Sales Order: Item: ARC-36L2-EC8TSWR

Part #	Description	QTY	UOM
RVH-002 (HAND VALVE)	EBVP-1030 3/8" ODF BALL VALVE WITH ACCESS PORT, PARKER 502054	5.00	EA
RVQ-001 (BODY)	Q BODY 2 X 4 SAE 168011, 1/4 SAE INLET, 1/2 SAE OUTLET	5.00	EA
RVQ-102 (CARTRIDGE)	QC-2 GREEN Q CARTRIDGE/ID TAG 168074	5.00	EA
RVQ-200 (ELEMENT)	KT-43-JC 30" ELEMENT, R-134/513A 180314, FOR USE WITH R-134A/R-513A REFRIGERANT	5.00	EA
RVS-027 (VALVE)	FEMALE DIN CONNECTOR ASSY GOES W/RVS-028 ON RVS-030 & RVS-031	10.00	EA
RVS-028 (VALVE)	OMKC-1E 220-240/50 COIL 10 WATT	10.00	EA
RVS-030 (VALVE)	SOLENOID VALVE XWG-2, LESS COIL SPORLAN XWG-2- W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	5.00	EA
RVS-031 (VALVE)	SOLENOID VALVE XUP-7, LESS COIL SPORLAN XUP, W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	5.00	EA
SCL-005 (CLIP)	#66 STAINLESS STL CLIP 0066-000008	80.00	EA
SPI-016 (PILASTER)	S.S. 54" LENGTH, 10060009054 Stainless Steel, 54" long	20.00	EA
SWS-041 (SHELF)	SHELF, 27" X 28 3/4" W/WHITE EPOXY-POLYESTER HYBRID FINISH, DWG. 95-3-300-99EP	10.00	EA
XBU-001 (BUMPER)	0.78" O.D. X 0.20" THICK, CLEAR BUMPER SPECIALTIES #BS-41, 0.78" O.D. X 0.20" THICK, CLEAR, SELF-ADHESIVE BACK	20.00	EA
XBU-001 (BUMPER)	0.78" O.D. X 0.20" THICK, CLEAR BUMPER SPECIALTIES #BS-41, 0.78" O.D. X 0.20" THICK, CLEAR, SELF-ADHESIVE BACK	20.00	EA
XGA-040 (GASKET)	31 1/2" X 59 3/4" O.D., 4 SIDED BLACK MAGNETIC DOOR GASKET	5.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE	20.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE	10.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	5.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	10.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	5.00	EA
XGR-022 (GROMMET)	WHT LCKING GROMMET FOR 3/8 DIA HOLE McMaster-Carr 5269T232, Locking Grommet for 3/8" Hole Diameter, 3/16" ID, White	20.00	EA
XLA-013 (LABEL)	WAGO 44 X 99 MM, SILVER LABEL WAGO 210-804, 44 MM X 99 MM, 500 MARKERS PER ROLL, WEIGHS 400 GRAMS PER ROLL, SILVER-COLORED	10.00	EA
XLA-015 (DECAL)	PERCIVAL DECAL (MED) 15 1/2 X 3.25" PERCIVAL DECAL - MEDIUM, 15 1/2" X 3.25"	5.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID COMPONENT HARDWARE R90-1002 Flexible Insulating Conduit Sleeve	5.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE SOUTHCO 96-10-400-11	15.00	EA
YHP-015 (HOLE PLUG)	1.01" ID SQ BLK HOLE PLUG Black Polyethylene Square Plug, Push-In, 1.01" Long x 1.01" Wide Inside, 1/2" height, 50D hardness	30.00	EA
YHS-001 (SPACER)	HINGE SPACER 95-3-50-5A	15.00	EA
YWA-001 (WASHER)	30% GLASS FILLED NYLON/ BLACK .040 PLASTIC SHOULDER WASHER 24SW0006 0.040" Nylon 6/6 Shoulder Washer with Natural Finish, Off White	160.00	EA