

Partial Parts List For Job #: 21789-0000

Date Printed: September 19, 2024

For Sales Order: 34266 Item: CU41L4C8TPCH15

Part #	Description	QTY	UOM
2004-1-300-27	SINGLE TERMINAL BLOCK MTG BRACKET 18 GA. GALV. 3 9/16" X 1 29/32"	1.00	EA
2004-1-700-4	ACCESS PORT RING 1/8" H.I.P.S. WHITE STYRENE, 13 1/2" X 16" BLANK FOR BATCH OF 25	3.00	EA
2006-1-140-1	AIR PLENUM Bend Location: A--	3.00	EA
2006-1-140-1	AIR PLENUM Bend Location: A--	1.00	EA
2006-1-140-2	AIR DIFFUSER PLATE Bend Location: A--	3.00	EA
2006-1-140-2	AIR DIFFUSER PLATE Bend Location: A--	1.00	EA
2006-1-140-3	AIR DIFFUSER SCREEN Bend Location: A--	3.00	EA
2006-1-140-3	AIR DIFFUSER SCREEN Bend Location: A--	1.00	EA
2006-1-140-4	LOUVER Bend Location: B--	3.00	EA
2006-1-140-5	AIR DEFLECTOR 23% OPEN ALUM. Bend Location:A--	3.00	EA
2006-1-140-5	AIR DEFLECTOR 23% OPEN ALUM. Bend Location:A--	1.00	EA
2006-1-140-6	BOTTOM LOUVER W/ NOTCH Bend Location: B--	1.00	EA
2006-1-300-3	REAR AIR BLOCKS Bend Location: A--	4.00	EA
2006-1-50-1	DOOR FACE PANEL Bend Location: A--	1.00	EA
2006-1-50-2	DOOR CORE Bend Location: A--	1.00	EA
2006-1-50-3	CU-41 DOOR INSULATION POLYSTYRENE, 1 7/8 X 39 X 59 1/2"	1.00	EA
2006-1-690	DEHUM EVAPORATOR COIL ASSY	1.00	EA
2010-1-120-1	41 LAMP BANK BASE 22 GA PTLOK	4.00	EA
2010-1-120-2	41 LAMP BANK COVER 22 GA PTLOK	4.00	EA
2010-1-70-1	DRIP PAN 22 GA #304-4 S.S.	1.00	EA
2010-1-70-2	UNIT COOLER AIR BLOCK Bend Location: A--	1.00	EA
2015-2C-30	41 SERIES INSULATED BOX (PURCHASED) REV. B IS THE NEW BOX DESIGN OFF THE SALVAGNINI WITH NEW FLOOR DRAIN & BREAKER REDESIGN.	1.00	EA
2017-5-230-1	SHORT (NORMAL) SENSOR BRACKET Bend Location: B--	1.00	EA
2017-5-420	ULTRASONIC DRAIN TRAP	1.00	EA
2019-18-100-2	MOUNTING BRACKET Bend Location: B--	1.00	EA
2020-11-300-1	UPPER LAMP BANK FIXTURE SUPPORT Bend Location: B--	2.00	EA
2020-11-70-3L	LH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	1.00	EA
2020-11-70-3R	RH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	1.00	EA
2020-11-70-4	AIR BLOCK BACKING STRIP 22 GA #304-4 S.S.	2.00	EA
2020-11-70-5	UNIT COOLER AIR BLOCK RUBBER 1/16" X 4 3/4" X 6" NEOPRENE RUBBER	2.00	EA
2020-11-90	FIXTURE SUPPORT WELDING ASS'Y	6.00	EA
2020-11-95	BOTTOM FIXT. SUPPORT WELDING ASS'Y	2.00	EA
2020-2-100-5	36 SOLID-STATE RELAY MOUNTING PLATE Bend Location:B--	1.00	EA
2020-2-100A	HINGED INTELLUS BRACKET WELD	1.00	EA
2020-2-100B	CONTROL BOX LOCK CATCH PLATE WELD	1.00	EA
2020-2-80-1L	LH CONTROL TOP CORNER Bend Location: B--	1.00	EA
2020-2-80-1R	RH CONTROL TOP CORNER 18 GA PTLOK	1.00	EA
2020-21-110-1	DRIVER RACK 18 GA GALV	1.00	EA
2020-3-100-1	41 CONTROL BOX DOOR W/ TABLET Bend Location:A--	1.00	EA
2020-3-100-2	41 CONTROL BOX ENCLOSURE Bend Location:A--	1.00	EA
2020-3-100-3	41 CONTROL BOX TOP COVER 18 GA PTLOK	1.00	EA
2020-3-100-4	41 CONTROL BOX DOOR STOP Bend Location:B--	1.00	EA

Partial Parts List For Job #: 21789-0000

Date Printed: September 19, 2024

For Sales Order: Item: CU41L4C8TPCH15

Part #	Description	QTY	UOM
2020-3-80-2	41 CONTROL TOP REAR PANEL 22 GA PTLOK	1.00	EA
2020-3-80-3	41 MECH SECTION COVER 22 GA PTLOK	1.00	EA
2021-8-170-1	HEATER BRACKET	2.00	EA
2021-8-170-1	HEATER BRACKET 22 GA GALV	2.00	EA
57458	DRIER CLAMP Bend Location: B--	1.00	EA
70-2-300-16	SUCTION ACCUMULATOR MTG. BRACKET Bend Location: B--	2.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	2.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	2.00	EA
95-3-300-2	CONDENSING UNIT PLATE Bend Location: B--	1.00	EA
95-3-300-5	TOP LH PANEL Bend Location: B--	1.00	EA
95-3-300-6	TOP RH SCREEN Bend Location: B--	1.00	EA
95-4-300-4	SHIPPING CLIP-AIR PLENUM 22 GA. #304-5 S.S. 3/4" X 2 15/16"	2.00	EA
95-4-300-97	RH RECEPTACLE PANEL Bend location: A--	1.00	EA
95-4-50-5	CORNER-DOOR CORE Bend Location: FLAT	4.00	EA
95481	SPORLAN SOLENOID VALVE MOUNT 16 GA GALV 1 5/8" X 3 3/8"	2.00	EA
98-2-300-7	LH RECEPTACLE PANEL 22 GA PTLOK	1.00	EA
CMS-027 (MACH.	1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	10.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	4.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	4.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	2.00	EA
CMS-074 (MACH.	6-32 X 1" PHILLIPS RD. HD., S.S.	4.00	EA
CMS-111 (MACH.	6-32 X 1/4" PHIL. PAN HEAD, ZINC LED LIGHT MOUNTING SCREWS: Thrd-Cutting Screw for Metal&Plastic (Type F) Pan Head Phil, Zinc-Plated Steel, 6-32 Thread, 1/4" L	96.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	4.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	4.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	36.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	40.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	6.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	15.00	EA
CSM-059 (S.M. SCREW)	14-10 X 1 TSA PH HZ PN Pan Head Phillips Screw for Sheet Metal, Zinc-Plated Steel, Number 14 Size, 1" Length	4.00	EA
CWN-023 (WELDNUT)	8-32 UNC DUAL SPUR S.S. WELD NUT 8-32 UNC, DUAL SPUR; LOW PROFILE, NARROW BASE, STAINLESS STEEL, REQUIRES A 7/32" PILOT HOLE BOULDER P/N NDZ-1414	4.00	EA
CWS-024 (DRYWALL ...	8 X 2 PARTICAL BOARD SCREW PARTIAL THREAD 8 X 2 PHILIPS HEAD FLAT HEAD WITH NIBS, BLACK PHOS STEEL	44.00	EA
EBR-146 (BREAKER)	15A, 1-P, ALTECH 1DU15L, UL489 ALTECH CORP. CATALOG #1DU15L, DIN MOUNT (AC) CIRCUIT BREAKER, 15A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	2.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	5.00	EA
EBR-163 (BREAKER)	3A, 1-P, ALTECH 1DU3L, UL489 ALTECH 1DU3L, DIN MOUNT (AC) CIRCUIT BREAKER, 3A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	1.00	EA
EBR-164 (BREAKER)	4A, 1-P, ALTECH 1DU4L, UL489 ALTECH 1DU4L, DIN MOUNT (AC) CIRCUIT BREAKER, 4A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	1.00	EA
EBU-016 (BUSHING)	SR7N-2 HEYCO INSULATOR BUSHING HEYCO #1244 STRAIN RELIEF BUSHING; BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	4.00	EA
ECL-001 (CLAMP)	1/4" NYLON CABLE CLAMP	2.00	EA
ECO-061 (CONNECTOR)	WAGO #231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #28-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	2.00	EA
ECO-061 (CONNECTOR)	WAGO 231-304/026-000 FOUR CIRCUIT	1.00	EA

Partial Parts List For Job #: 21789-0000

Date Printed: September 19, 2024

For Sales Order: Item: CU41L4C8TPCH15

Part #	Description	QTY	UOM
	WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #26-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.		
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	28.00	EA
EHE-046 (HEATER)	250W @ 230V U-TUBE HEATER, RED OPEN AIR HEATER, 250W @ 230V, MARKED WITH RED PAINT, WATLOW PART RBN36B1H-2, 40" OAL X 0.315" DIA., FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL. QUOTE # 710091 See drawing number 2006-1-300-7	1.00	EA
EHE-053 (HEATER)	350W @ 230V U-TUBE HEATER, BLUE OPEN AIR HEATER, 350W @ 230V, WATLOW PART # RBN36B47H-3, 40" OAL X 0.315" DIA., MARKED W/ BLUE PAINT, FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL. QUOTE # 811185 See drawing number 2006-1-300-7	1.00	EA
EHU-038 (HUMIDIFY)	ULTRASONIC HUMIDIFIER (SCA-1000) STULZ #SCA-1000, 2.2 LBS/HR, 2 OUTLET TUBES, FAN ASSISTED FLOW, 48 VAC, 60 HZ, 100 VA	1.00	EA
EHU-073 (HUMIDIFY)	HMP60-A11A1A3A0 INTERCAP HUM. SENS HUMIDITY SENSOR, VAISALA HMP60-A11A1A3A0 INTERCAP HUMIDITY SENSOR, MEASUREMENT RANGE: 0-100%RH, 0-1VDC OUTPUT SIGNAL, 3m CABLE, -40 to +60°C OPERATING TEMP, 5...28VDC OPERATING VOLTAGE, ±3% ACCURACY AT 0-40°C	1.00	EA
ELD-049	DALI TO ANG CONVERTER (0-10VDC OUT) LT-94A DIMMING SIGNAL CONVERTER;DALI, PUSH DIM SIGNAL INPUT; 0-10V ANALOG x 4CH	1.00	EA
ELD-120	LED DRIVER, MEANWELL XLG-75-L-AB MEANWELL XLG-75-L-AB LED DRIVER, CONSTANT CURRENT, 1050mA OUTPUT CURRENT, 53-107V OUTPUT, 100-305VAC INPUT VOLTAGE, WITH DIMMING, -40 TO 90°C OPERATING TEMP RANGE, RoHS, IP65 RATING, 3 IN 1 DIMMING	4.00	EA
ELD-130	LED DRIVER, MEANWELL HLG-60H-C350B MEANWELL HLG-60H-C350B LED DRIVER, CONSTANT CURRENT, 350mA OUTPUT CURRENT, 100-200V OUTPUT, 90-305VAC INPUT VOLTAGE, WITH DIMMING, -40 TO 80°C OPERATING TEMP RANGE, RoHS, 6.73"L x 2.42"W x 1.42"H, IP65 RATING, 3 IN 1 DIMMING	4.00	EA
ELD-143A	12 X 24 TILE CH1=WH + CH2=IR W/COAT PetrClear LED tile 12" x 24" LED tile WITH CONFORMAL COATING. With two Dimming channels in one board: Dim1= 5700K, CRI-90 Dim 2= IR (860nm)	12.00	EA
EPC-032 (USB CABLE)	PANEL MOUNT USB CABLE, A-A F/M, 3FT STARTECH USBPNLAFAM3	1.00	EA
EPC-044 (COMPUTER)	SIBO, 10" ANDROID TOUCHSCREEN SHENZHEN SIBO INDUSTRIAL & DEVELOPMENT CO, LTD. MODEL Q8919 TOUCHSCREEN HMI WITH:	1.00	EA
EPC-057 (ETHERNET)	ETHERNET CABLE - 5' CAT5 CABLE BLK 10X6-12205, 5 FT., BLACK; UL-APPROVED, RoHS-COMPLIANT, WITHOUT PVC BOOT	1.00	EA
EPL-041 (PLUG)	9 TERM., AMP MATE-N-LOK #1-480706-0 REFERENCE NEWARK #46F2057; UNIVERSAL MATE-N-LOK #1-480706-0; 9-TERMINAL PLUG, 19 A @ 600 V MAX., 105°C MAX.; USE W/ (ERE-046); UL- &	2.00	EA
EPL-052 (PLUG)	EMF CORP. P-7-1 CORDSET (7-COLOR) EMF CORP. P-7-1 7-WIRE CORDSET; SEVEN COLORS, SEVEN (7) AWG 18 X 48" STRANDED Cu WIRES, SEVEN-PIN RIGHT-ANGLE PLUG MOLDED ON 3/8" X 44" LENGTH WHITE PVC INSULATION, 4" LENGTH EXPOSED 1/4" PRESTRIPPED WIRE LEADS.	1.00	EA
EPL-052 (PLUG)	EMF CORP. P-7-1 CORDSET (7-COLOR) EMF CORP. P-7-1 7-WIRE CORDSET; SEVEN COLORS, SEVEN (7) AWG 18 X 48" STRANDED Cu WIRES, SEVEN-PIN RIGHT-ANGLE PLUG MOLDED ON 3/8" X 44" LENGTH WHITE PVC INSULATION, 4" LENGTH EXPOSED 1/4" PRESTRIPPED WIRE LEADS.	4.00	EA
EPL-059 (PLUG)	TYCO 172167-1 MINI M-N-L , 4 SOCKET 172167-1 MINI MATE-N-LOK Connector, Soft Shell; 4; 600 VAC; Plug: Double-Row; Nylon; Plug: Natural	1.00	EA
EPS-031 (POWER SU...)	120/240V IN, 12VDC OUT, 75W MEAN WELL LRS-75-12	1.00	EA
ERE-083 (RECEPTACLE)	R-7-1, 108" SOLID WIRE 7-COLOR SEVEN SOCKET / SEVEN COLOR, 108" SOLID WIRE LEN., W / WIRE STRIPPED AT ENDS	1.00	EA
ERE-083 (RECEPTACLE)	R-7-1, 108" SOLID WIRE 7-COLOR SEVEN SOCKET / SEVEN COLOR, 108" SOLID WIRE LEN., W / WIRE STRIPPED AT ENDS	4.00	EA
ERL-030 (RELAY)	DPDT, 30A., 240VAC, P&B #T92S11A22-240	1.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN CARLO GAVAZZI RP1A23D5M1; N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.	3.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN CARLO GAVAZZI RP1A23D5M1; N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.	4.00	EA
ESW-130 (SWITCH)	DPST ROCKER SWITCH, 20A, 125V DIGIKEY #450-1886-ND TYCO #PRCDA1-20F-BB0BW DPST ROCKER SWITCH, ON-OFF, 20A @ 125V, 10A @ 250V, PANEL MOUNT, SNAP-IN, BLACK, I-O MARKINGS, RoHS COMPLIANT,	1.00	EA
ETC-052 (TEMP. CON...)	3 WIRE RTD, 100 OHMS, 0.00385 PLAT. WATLOW P/N RB1093901	2.00	EA
ETC-094 (TEMP. CON...)	INTELLUS CONTROL OVERLAY CONTROLLER W/ UPDATED LED COLORS	1.00	EA
ETC-109 (TEMP. CON...)	INTELLUSULTRA GEN2, LOW END VER2 Watlow PSIB-ASIC-0005	1.00	EA
ETE-011 (TERMINAL)	AMP MATE-N-LOK PIN CONTACT AMP 350547-1 (LOOSE FROM) 20-14 AWG	4.00	EA
ETE-012 (TERMINAL)	AMP MATE-N-LOK SOCKET CONTACT AMP 350550-1 (LOOSE FROM) 20-14 AWG	4.00	EA
ETE-017 (TERMINAL)	WAGO# 2004-1401, GRAY, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	12.00	EA
ETE-018 (TERMINAL)	WAGO# 2004-1404, BLUE, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	4.00	EA
ETE-019 (TERMINAL)	WAGO# 2004-1407, GROUND, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	3.00	EA
ETE-020 (TERMINAL)	WAGO# 2004-1491, END PLATE 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	3.00	EA
ETE-021 (TERMINAL)	WAGO 2004-402, GRAY TERMINAL JUMPER FOR 5 mm TERMINAL BLOCK WIDTH	6.00	EA
ETE-022 (TERMINAL)	WAGO 249-116, END TERMINAL ANCHOR FOR 5 mm TERMINAL BLOCK WIDTH	6.00	EA
ETE-030 (TERMINAL)	16-CONDUCTOR, 4-TERMINAL SNAP-IN	1.00	EA

Partial Parts List For Job #: 21789-0000

Date Printed: September 19, 2024

For Sales Order: Item: CU41L4C8TPCH15

Part #	Description	QTY	UOM
ETR-044 (TRANSFOR...	WAGO #862-0594, BLACK, NO LABELS, MTG REQUIRES TWO Ø5.2mm HOLES SPACED 12mm, PACKS OF 200; UL- & CUL-APPROVED. HAMMOND TRANSFORMER 266N48 Isolation Transformer, 192 VA, @ 48Vac 4A in series, @ two 24VAC parallel yields 8A total (4A per coil). 1 x 234V, 2 x 117V, 266 Series, 50/60HZ	1.00	EA
EWR-002 (TYRAP)	6" CABLE TIES, FASTENAL #63123	10.00	EA
HBS-001 (SPACER)	FEMALE THREADED CIRCUIT BOARD POST MICRO PLASTICS INC #27FTP00250	6.00	EA
HCL-017 (CLAMP)	WORM DRIVE CLAMP 7/32" TO 5/8" McMASTER-CARR 5321K14; TYPE 301 STAINLESS STEEL, 10/PK	2.00	EA
HCL-019 (CLAMP)	WORM-DRIVE HOSE, 2-9/16" TO 3-1/2" McMASTER-CARR #5415K24, CLAMP DIAMETER RANGE: 2-9/16" MIN. TO 3-1/2" MAX.; 1/2" WIDE TYPE #301 STAINLESS-STEEL BAND; HARDENED, ZINC-PLATED, WORM-DRIVE STEEL SCREW, 10/PK	2.00	EA
HHA-008 (HANDLE)	BLACK SOUTHCO P1-30-101-11 ABS LOW GLOSS	1.00	EA
HHI-029 (HINGE)	SOUTHCO EH-5A-4G4-50 SERIES 40 BLACK POWDER COATED MOUNTING METHOD: M5 FOUR THREADSTUDS AT .984" BETWEEN CENTER.	2.00	EA
HLO-019 (LOCK)	COMPRESSION LOCK (1/4 TURN) 040-1-1-0-42-59, ELECTRAUSA zinc with slotted lock key	1.00	EA
HLU-004 (LOUVER)	LOUVER FOR 3" DIA. SPECTRE 8148 SPECTRE PERFORMANCE 8148 AIR DUCT MOUNTING PLATE, GRAY	2.00	EA
HMA-010	S-MAGNET 1" X 1/2" X 1/8" THICK BC82CS-S, 1" X 1/2" X 1/8" THICK WITH COUNTERSUNK HOLE FOR #6 SCREW, RECTANGULAR BLOCK MAGNET, N42, NICKEL PLATING, MAGNETIZED WITH THE SOUTH POLE ON THE COUNTERSUNK SIDE	1.00	EA
HNU-052 (NUT)	M5, .8 COARSE THREAD NUT	8.00	EA
HNU-068 (NUT)	LOCKNUT, 6-32, 18-8 S.S. McMASTER-CARR #91831A007	4.00	EA
HNU-076 (RIVET NUT)	6-32 RUBBER-INSULATED RIVET NUT McMaster-Carr 93495A120, Rubber-Insulated Brass Rivet Nut, 6-32 Thread, 1/64" - 5/32" Material Thick Range	4.00	EA
HST-016 (PORT PLUG)	1 1/4" PLUG FOR ACCESS PORT	1.00	EA
HWA-001 (WASHER)	NO. 10 PLAIN ZINC	10.00	EA
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	4.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618	10.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618	4.00	EA
LST-007 (STAPLES)	15/16 CROWN X 3/4 LEG 16GA. STAPL ROOFING STAPLE	144.00	EA
LST-008 (STAPLES)	15/16 CROWN X 1 LEG 16GA. STAPLE INTERCHANGE WC GALVANIZED STAPLE	278.00	EA
RAC-006 (SUCTION A...	3816 REF. RESEARCH, 1/2 ODF REFRIGERATION RESEARCH #3816; 4" X 6-1/2" L, 1/2" ODF SOLDER INLET & OUTLET CONNECTIONS; 2.3# of R-134a HOLDING CAPACITY.	1.00	EA
RCO-084 (UNIT COOLER)	BOHN TA23SG W/ 230/1/60 FANS BOHN, 230/1/60 Hz, 1.2 AMPS w/ 3 fan motors	1.00	EA
RCU-313	M7ZH-0045-IAZ-328 1/2HP 1/2 HP, R-134A, 220/240, 1 phase, 50 Hz, R.L.A= 3.9, MCA= 5.4 AMPS, 2.5 lbs Receiver @ 90% full (R-134a)	1.00	EA
RDR-008 (DRIER)	SPORLAN C-052-S DRIER 1/4" LINE.	1.00	EA
RFN-001 (FLARE NUT)	FREY 14FS4, 1/4" SHORT TYPE FORGED	2.00	EA
RFN-002 (FLARE NUT)	3/8" SPODEK NS4-6, SHORT TYPE 3/8"	2.00	EA
RFN-004 (FLARE NUT)	NST4-8 1/2"OD TUBE, STA-TITE	1.00	EA
RLI-001 (LIQ. INDICATOR)	SPORLAN SA-12S 1/4 ODF SIGHT GLASS	1.00	EA
RPR-001 (PRES. REG...	CROT-6 5/8"ODF W/STRAINER 0/60 CRANKCASE PRESSURE REGULATOR	1.00	EA
RTE-019 (TEE)	TEE, WROT 1/4"NOM SIZE, W-04000 (3/8" OD COPPER TUBE)	1.00	EA
RTE-030 (TEE)	W-04002, 1/2" X 1/2" X 3/8"	1.00	EA
RVH-002 (HAND VALVE)	EBVP-1030 3/8" ODF BALL VALVE WITH ACCESS PORT, PARKER 502054	1.00	EA
RVQ-001 (BODY)	Q BODY 2 X 4 SAE 168011, 1/4 SAE INLET, 1/2 SAE OUTLET	2.00	EA
RVQ-101 (CARTRIDGE)	QC-1 YELLOW Q CARTRIDGE/ID TAG 168072	1.00	EA
RVQ-102 (CARTRIDGE)	QC-2 GREEN Q CARTRIDGE/ID TAG 168074	1.00	EA
RVQ-200 (ELEMENT)	KT-43-JC 30" ELEMENT 180314	2.00	EA
RVS-027 (VALVE)	FEMALE DIN CONNECTOR ASSY GOES W/RVS-028 ON RVS-030 & RVS-031	3.00	EA
RVS-028 (VALVE)	OMKC-1E 220-240/50 COIL	3.00	EA
RVS-030 (VALVE)	SOLENOID VALVE XWG-2, LESS COIL SPORLAN XWG-2;- W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	2.00	EA

Partial Parts List For Job #: 21789-0000

Date Printed: September 19, 2024

For Sales Order: Item: CU41L4C8TPCH15

Part #	Description	QTY	UOM
RVS-031 (VALVE)	SOLENOID VALVE XUP-7, LESS COIL SPORLAN XUP, W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	1.00	EA
SWS-115 (SHELF)	SHELF, 36 1/4" X 27" W/WHITE EPOXY-POLYESTER HYBRID FINISH, DWG. SWS-115(SOLIDWORKS), 41 SERIES	4.00	EA
XBU-001 (BUMPER)	0.78" O.D. X 0.20" THICK, CLEAR BUMPER SPECIALTIES #BS-41, 0.78" O.D. X 0.20" THICK, CLEAR, SELF-ADHESIVE BACK	8.00	EA
XBU-001 (BUMPER)	0.78" O.D. X 0.20" THICK, CLEAR BUMPER SPECIALTIES #BS-41, 0.78" O.D. X 0.20" THICK, CLEAR, SELF-ADHESIVE BACK	8.00	EA
XGA-051 (GASKET)	39" X 59 3/4" OD, 4 SIDED BLACK 02-126 BLACK MAGNETIC DOOR GASKET, 4 SIDED	1.00	EA
XGR-001 (GROMMET)	1-1/8" OD, 9/32" ID, FOR 7/8" HOLE	2.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE LAVELLE INDUSTRIES #1022	2.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-1/4" I.D. X FOR 1-1/2" DIA. HOLE X 3/8" THICKNESS X 1/16" GROOVE WIDTH, BLACK	4.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-1/4" I.D. X FOR 1-1/2" DIA. HOLE X 3/8" THICKNESS X 1/16" GROOVE WIDTH, BLACK	1.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	2.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	1.00	EA
XGR-006 (GROMMET)	1/2" ID X 13/16" O.D. X 5/8" HOLE BLACK VINYL, 1/2" I.D. X 13/16" O.D. X 5/8" GROOVE DIA. X 1/16" GROOVE WIDTH X 9/32" THICK	4.00	EA
XGR-006 (GROMMET)	1/2" ID X 13/16" O.D. X 5/8" HOLE SMALL PARTS #G625, BLACK VINYL, 1/2" I.D. X 13/16" O.D. X 5/8" GROOVE DIA. X 1/16" GROOVE WIDTH X 9/32" THICK	2.00	EA
XGR-022 (GROMMET)	WHT LCKING GROMMET FOR 3/8 DIA HOLE McMaster-Carr 5269T232, Locking Grommet for 3/8" Hole Diameter, 3/16" ID, White	24.00	EA
XLA-013 (LABEL)	WAGO 44 X 99 MM, SILVER LABEL WAGO 210-804, 44 MM X 99 MM, 500 MARKERS PER ROLL, WEIGHS 400 GRAMS PER ROLL, SILVER-COLORED	1.00	EA
XLA-016 (DECAL)	PERCIVAL DECAL(LARGE) 18 1/2" X 4" PERCIVAL DECAL - LARGE, 18 1/2" X 4"	1.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID COMPONENT HARDWARE #R90-1002 Flexible Insulating Conduit Sleeve	1.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID COMPONENT HARDWARE R90-1002 Flexible Insulating Conduit Sleeve	1.00	EA
YEL-023 (ELBOW)	90° ELBOW, 1/4 X 1/4 O.D. PUSH-IN FAST FITTINGS, PART #20-152P, 90° UNION ELBOW, 1/4" X 1/4" PLASTIC PUSH-IN TUBE FITTINGS, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	1.00	EA
YEL-037 (ELBOW)	90° ELBOW, 1/2 X 1/2 O.D. PUSH-IN INDELCO PART# PI0316S, 90° UNION ELBOW, 1/2" X 1/2" PLASTIC PUSH-IN TUBE FITTINGS,	2.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE SOUTHCO 96-10-400-11	5.00	EA
YHS-001 (SPACER)	HINGE SPACER 95-3-50-5A 30% GLASS FILLED NYLON/ BLACK	5.00	EA
YNV-005 (VALVE)	BALL VALVE, 1/4 X 1/4" PUSH-IN FAST FITTINGS, PART #20-900P, PL X PL SHUT-OFF VALVE, 1/4 X 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE	1.00	EA
YTS-001 (TUBING)	TUBE SUPPORT, 60387	1.00	EA
YWA-001 (WASHER)	.040 PLASTIC SHOULDER WASHER 24SW0006 0.040" Nylon 6/6 Shoulder Washer with Natural Finish, Off White	96.00	EA